

AMENDMENTS TO THE CLAIMS

Please cancel claims 23-41 and 64-83.

1. (Original) A grafted antibody, or functional fragment thereof, comprising one or more complementarity determining regions (CDRs) having at least one amino acid substitution in one or more CDRs of a heavy chain CDR selected from the group consisting of SEQ ID NOS:26, 28 and 30 or a light chain CDR selected from the group consisting of SEQ ID NOS:20, 22 and 24, said grafted antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

2. (Original) An antibody, or functional fragment thereof, comprising one or more CDRs selected from the group consisting of CDRs referenced as SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, and SEQ ID NO:162, said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

3. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:26; a heavy chain CDR2 referenced as SEQ ID NO:28; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:20; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

4. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:26; a heavy chain CDR2 referenced as SEQ ID NO:28; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:72; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

5. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:26; a heavy chain CDR2 referenced as SEQ ID NO:48; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:20; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

6. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:45; a heavy chain CDR2 referenced as SEQ ID NO:154; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:157; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

7. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:26; a heavy chain CDR2 referenced as SEQ ID NO:155; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:158; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

8. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:46; a heavy chain CDR2 referenced as SEQ ID NO:155; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:159; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

9. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:26; a heavy chain CDR2 referenced as SEQ ID NO:48; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:160; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

10. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:45; a heavy chain CDR2 referenced as SEQ ID NO:155; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:72; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

11. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:26; a heavy chain CDR2 referenced as SEQ ID NO:155; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:157; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

12. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:45; a heavy chain CDR2 referenced as SEQ ID NO:155; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:160; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

13. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:46; a heavy chain CDR2 referenced as SEQ ID NO:155; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:160; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

14. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:45; a heavy chain CDR2 referenced as SEQ ID NO:162; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:158; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

15. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:45; a heavy chain CDR2 referenced as SEQ ID NO:156; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:157; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

16. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:26; a heavy chain CDR2 referenced as SEQ ID NO:154; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:157; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

17. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:45; a heavy chain CDR2 referenced as SEQ ID NO:155; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:157; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

18. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:46; a heavy chain CDR2 referenced as SEQ ID NO:154; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:161; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

19. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:46; a heavy chain CDR2 referenced as SEQ ID NO:156; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:161; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

20. (Original) The antibody of claim 2, wherein said antibody, or functional fragment thereof, comprises a heavy chain CDR1 referenced as SEQ ID NO:46; a heavy chain CDR2 referenced as SEQ ID NO:28; a heavy chain CDR3 referenced as SEQ ID NO:63; a light chain CDR1 referenced as SEQ ID NO:20; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 referenced as SEQ ID NO:77.

21. (Original) An antibody, or functional fragment thereof, comprising a heavy chain polypeptide comprising one or more CDRs having at least one amino acid substitution in one or more heavy chain CDRs, said heavy chain CDRs selected from the group consisting of a heavy chain CDR1 selected from the group consisting of CDRs referenced as SEQ ID NOS:26, 43, 44, 45, 46, and 47; a heavy chain CDR2 selected from the group consisting of CDRs referenced as SEQ ID NOS:28, 48, 49, 50, 51, 52, 53, 54, and 55; and a heavy chain CDR3 selected from the group consisting of CDRs referenced as SEQ ID NOS:30, 56, 57, 58, 59, 60, 61, 62, 63, and 64, said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

22. (Original) An antibody, or functional fragment thereof, comprising a light chain polypeptide comprising one or more CDRs having at least one amino acid substitution in one or more light chain CDRs, said light chain CDRs selected from the group consisting of a light chain CDR1 selected from the group consisting of CDRs referenced as SEQ ID NOS:20, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, and 76; a light chain CDR2 referenced as SEQ ID NO:22; and a light chain CDR3 selected from the group consisting of CDRs referenced as SEQ ID NOS:24, 77, 78, 79, 80, 81, 82, 83, 84, 85, and 86, said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

Claims 23-41 (Canceled).

42. (Original) The grafted antibody of any of claims 1-41, wherein said functional fragment is selected from the group consisting of Fv, Fab, F(ab)₂ and scFV.

43. (Original) A nucleic acid encoding the antibody of any of claims 1-41.

44. (Original) A method of targeting angiogenic vasculature, comprising administering an antibody, or functional fragment thereof, said antibody or functional fragment thereof comprising one or more complementarity determining regions (CDRs) having at least one amino acid substitution in one or more CDRs of a heavy chain CDR selected from the group consisting of SEQ ID NOS:26, 28 and 30 or a light chain CDR selected from the group consisting of SEQ ID NOS:20, 22 and 24, and said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

45. (Original) The method of claim 44, wherein said antibody or functional fragment comprises one or more CDRs selected from the group consisting of CDRs referenced

as SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, and SEQ ID NO:162.

46. (Original) The method of claim 44, wherein said antibody, or functional fragment thereof, further comprises a therapeutic moiety.

47. (Original) The method of claim 44, wherein said antibody, or functional fragment thereof, further comprises a detectable moiety.

48. (Original) A method of inhibiting angiogenesis, comprising administering an antibody, or functional fragment thereof, said antibody or functional fragment thereof comprising one or more complementarity determining regions (CDRs) having at least one amino acid substitution in one or more CDRs of a heavy chain CDR selected from the group consisting of SEQ ID NOS:26, 28 and 30 or a light chain CDR selected from the group consisting of SEQ ID NOS:20, 22 and 24, and said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

49. (Original) The method of claim 48, wherein said antibody or functional fragment comprises one or more CDRs selected from the group consisting of CDRs referenced as SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID

NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, and SEQ ID NO:162.

50. (Original) The method of claim 48, wherein said antibody, or functional fragment thereof, further comprises a therapeutic moiety.

51. (Original) A method of targeting a tumor, comprising administering an antibody, or functional fragment thereof, said antibody or functional fragment thereof comprising one or more complementarity determining regions (CDRs) having at least one amino acid substitution in one or more CDRs of a heavy chain CDR selected from the group consisting of SEQ ID NOS:26, 28 and 30 or a light chain CDR selected from the group consisting of SEQ ID NOS:20, 22 and 24, and said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

52. (Original) The method of claim 51, wherein said antibody or functional fragment comprises one or more CDRs selected from the group consisting of CDRs referenced as SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, and SEQ ID NO:162.

53. (Original) The method of claim 51, wherein said antibody, or functional fragment thereof, further comprises a therapeutic moiety.

54. (Original) The method of claim 51, wherein said antibody, or functional fragment thereof, further comprises a detectable moiety.

55. (Original) A method of inhibiting tumor growth, comprising administering an antibody, or functional fragment thereof, said antibody or functional fragment thereof

comprising one or more complementarity determining regions (CDRs) having at least one amino acid substitution in one or more CDRs of a heavy chain CDR selected from the group consisting of SEQ ID NOS:26, 28 and 30 or a light chain CDR selected from the group consisting of SEQ ID NOS:20, 22 and 24, and said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

56. (Original) The method of claim 55, wherein said antibody or functional fragment comprises one or more CDRs selected from the group consisting of CDRs referenced as SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, and SEQ ID NO:162.

57. (Original) The method of claim 55, wherein said antibody, or functional fragment thereof, further comprises a therapeutic moiety.

58. (Original) A method of detecting angiogenic vasculature, comprising contacting angiogenic vasculature with an antibody, or functional fragment thereof, said antibody or functional fragment thereof comprising one or more complementarity determining regions (CDRs) having at least one amino acid substitution in one or more CDRs of a heavy chain CDR selected from the group consisting of SEQ ID NOS:26, 28 and 30 or a light chain CDR selected from the group consisting of SEQ ID NOS:20, 22 and 24, and said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

59. (Original) The method of claim 58, wherein said antibody or functional fragment comprises one or more CDRs selected from the group consisting of CDRs referenced as SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59,

SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, and SEQ ID NO:162.

60. (Original) The method of claim 58, wherein said antibody, or functional fragment thereof, further comprises a detectable moiety.

61. (Original) A method of inhibiting metastasis, comprising administering an antibody, or functional fragment thereof, said antibody or functional fragment thereof comprising one or more complementarity determining regions (CDRs) having at least one amino acid substitution in one or more CDRs of a heavy chain CDR selected from the group consisting of SEQ ID NOS:26, 28 and 30 or a light chain CDR selected from the group consisting of SEQ ID NOS:20, 22 and 24, and said antibody or functional fragment thereof having specific binding activity for a cryptic collagen epitope.

62. (Original) The method of claim 61, wherein said antibody or functional fragment comprises one or more CDRs selected from the group consisting of CDRs referenced as SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, and SEQ ID NO:162.

Inventors: Watkins et al.
Serial No.: 09/995,529
Filed: November 26, 2001
Page 11

63. (Original) The method of claim 61, wherein said antibody, or functional fragment thereof, further comprises a therapeutic moiety.

Claims 64-83 (Canceled).